

100 Bridge Street, Pelham, NH03076, USA Tel: (603) 635-2255 Toll Free: (800) 374-9513 Fax: (603) 635-2448 E-mail: <u>info@medicalisotopes.com</u> Internet: <u>www.medicalisotopes.com</u>

SAFETY DATA SHEET

SECTION 1. Identification

Product:

Supplier:

Product Name: Estrone-2,4,16,16-d4 Catalog number: D171 Medical Isotopes, Inc. 100 Bridge Street Pelham, NH 03076 USA Tel: +1-603-635-2255 Fax: +1-603-635-2448

Email: info@medicalisotopes.com

Suitability:

For laboratory use only.

Emergency Contact Information:

Call Infotrac 24/7

DOMESTIC NORTH AMERICA 1-800-535-5053 (United States, Canada, Mexico) INTERNATIONAL, CALL 1-352-323-3500

SECTION 2. Hazard(s) identification

Hazard classification:

Carcinogenicity H350

Reproductive toxicity H360

Signal Word:

Danger Hazard Statements:

H350 May cause cancer.

H360 May damage fertility or the unborn child.

Pictogram:



Precautionary Statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. Composition/Information on Ingredients

Chemical name:

Estrone-2,4,16,16-d4

Synonyms:

1,3,5(10)-Estratrien-3-ol-17-one-D4; 3-Hydroxy-1,3,5(10)-estratrien-17-one-D4

CAS number:

53866-34-5

Impurities/Additives:

N/A

SECTION 4. FIRST AID MEASURES

Skin Contact: Wash with soap and water for several minutes. Consult a physician.
Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Inhalation: Remove from exposure and move to fresh air immediately. Consult a physician.
Eye Contact: Rinse thoroughly with plenty of water. Consult a physician.

SECTION 5. FIRE FIGHTING MEASURES



Suitable extinguishing media

Use water spray, foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire-fighting if necessary.

Hazardous combustion products: Carbon oxides.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure to wear appropriate protective equipment as listen in section 8. Avoid breathing dust, vapors, or mists.

Spill Clean-up Methods: Clean up spills immediately, observing precautions in the Protective Equipment section. Cover with a non-combustible material (e.g. sand, earth, diatomaceous earth), sweep up, and place into a suitable container for disposal. Avoid breathing the resulting dust.

SECTION 7. HANDLING & STORAGE

Usage/Handling Precautions: Make sure to wear appropriate PPE as listed in section 8. Avoid contact with skin and eyes.

Storage Conditions: Keep tightly closed in a dry and well-ventilated place. Store at room temperature.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: Use fumehood if available.

Personal Protective Equipment

Eyes: Always wear safety glasses when working with chemicals. Wear chemical goggles when working with liquids. Skin: Wear protective gloves and a lab coat to prevent skin exposure.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid Odor: N/A pH: N/A Melting Point: N/A Water Solubility (%): N/A Flash Point (°C): N/A Vapor pressure: N/A Autoignition Temperature (°C): N/A Flammability Limits in Air (% by Vol.): N/A

SECTION 10. STABILITY & REACTIVITY

Reactivity: N/A **Chemical Stability:** Stable under recommended storage conditions **Conditions to Avoid:** Strong oxidizing agents.

SECTION 11. TOXICOLOGICAL INFORMATION

Inhalation: N/A Ingestion: LD50 Oral - Rat - male and female - > 2,000 mg/kg Skin and eye contact: LD50 Dermal - Rat - male and female - > 2,000 mg/kg Other: N/A

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish: semi-static test LC50 - Danio rerio (zebra fish) - > 1.186 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates: static test EC50 - Daphnia magna (Water flea) - > 1.5 mg/l - 48 h Toxicity to algae: static test EC50 - Pseudokirchneriella subcapitata - > 0.57 mg/l - 72 h

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Procedures: Via licensed disposal company. Dispose of according to federal, state/province and local regulations.

SECTION 14. TRANSPORT INFORMATION

Not dangerous goods.

SECTION 15. REGULATORY INFORMATION



N/A

SECTION 16. OTHER INFORMATION

Preparation information: Last revised on 8/24/2022

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. MEDICAL ISOTOPES, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.